

NEW features
and functionality

KOCOM


Next Generation of KOCOM 7 inch Colour Video Intercom

KOCOM

4 Wire Intercom System

KCV-S701EBC · KC-S81MU · KIP-32GU

Our 4-wire monitor system can be expanded to up to 2 door cameras, 4 monitors, and 4 sub-audio phones.
Perfect for seamless connectivity throughout your home.



- 1MP Colour Outdoor Camera (NEW)
- Connection for up to 4 Monitors and 2 Outdoor Cameras (NEW)
- Connection for up to 4 Sub-audio Handsets (NEW)
- Internal communication between Monitors (NEW)

Comparison

	Current Generation	Next Generation
KOCOM Product Code - Monitor - Outdoor Camera - Audio Handset	KCV-S701EB KC-S81M -----	KCV-S701EBC KC-S81MU KIP-32GU
ICE Security Product Code - Set (1 x Monitor + 1 x Outdoor Camera) - Monitor - Outdoor Camera - Audio Handset	IC-71 IC-71HS IC-71GS -----	IC-71E IC-71EHS IC-71EGS IC-71EAP
7 inch Colour Digital LCD Monitor	X	X
Colour Outdoor Camera	0.27MP	1.0MP (Improved)
Connection for up to 4 monitors + 2 Outdoor Monitors Cameras	-----	X (New)
Internal communication between Monitors (Non-selective)	-----	X (New)
Connection for up to 4 Sub-audio Handsets	-----	X (New)
Easy to operate using OSD menu and Icon button	X	X
Door open function	X	X
Cable connection	4 Wire	4 Wire

Current Generation of KCV-S701EB




Next Generation of KCV-S701EBC



System Configuration

Wiring Diagram_Camera mode




Product Specifications

Product Specifications

Monitor	Model No.	KCV-S701EBC(AC)
	Power Source	AC 100-240V ~ 50Hz/60Hz
	Power Consumption	1W(±20%)(On Stand by), 7.5W(±20%)(In load)
	Operating Temperature	0°C ~ +40°C
	Display	7 Inch color LCD
	Communication System	Handsfree type
	Wiring	Door camera : Polarized 4 wire Ex_Monitor : Polarized 4 wire Door opener : Polarized 3 wire Interphone : Polarized 4 wire Lobby phone : Polarized 6 wire
	Mount Type	Surface mount
	Dimension	220(W) x 123(H) x 22(D) mm
Door Camera	Model No.	KC-S81MU
	Power Source	DC 10V ~ 15V (Power from monitor)
	Power Consumption	Max. 2.8W
	Operating Temperature	-10°C ~ +50°C
	Dimension	70(W) x 125(H) x 21(D) mm
	Field of View	Diagonal 120°

[VIEW THE KOCOM CATALOGUE HERE](#)




Wiring Diagram

1 x Monitor / 1 x Outdoor Camera /
1 x Audio Handset


Wiring Connection

■ Wiring diagram of between indoor station and Door camera





Door Camera
BACK VIEW



Monitor
BACK VIEW




Interphone
BACK VIEW



Wiring Diagram

2 x Monitors / 2 x Outdoor Cameras /
2 x Audio Handsets



Wiring Diagram

4 x Monitors / 2 x Outdoor Cameras /
4 x Audio Handsets

